


CODELINE® - 40S SERIES (NC) - 40S30 (NC), 40S45 (NC), 40S60 (NC)

The different parts of the Codeline 40S Series non-coded membrane housings are shown in the exploded view. The numbers on the exploded view are explained in the table.

EXPLODED VIEW & DETAILS (NON-CODED MODELS)



PARTS TABLE

DRG REG	QTY	DESCRIPTION	MATERIAL	40S30 NC	40S45 NC	40S60 NC
				PART NUMBER	PART NUMBER	PART NUMBER
1	1	Shell	Filament Wound Expoxy / Glass composites. Head Locking grooves integrally wound in place.	Order section	Order section	Order section
2	AR	F/C Port	CF8M / CF3M	CF8M As required	CF3M As required	CF3M As required
3	AR	F / C Port Seal	Ethylene Propylene - O Ring	As required	As required	As required
4	AR	F / C Port Retainer	300 Series Stainless Steel	As required	As required	As required
5	AR	PWT Seal	Ethylene Propylene - O Ring	As required	As required	As required
6	2	Adapter	Engineering Thermoplastic	As required	As required	As required
7	2	Adapter Seal	Ethylene Propylene - O Ring	45296	45296	45296
8	2	Head Seal	Ethylene Propylene - O Ring	45317	45317	45317
9	2	End Plug	Engineering Thermoplastic	96827	96827	96827
10	2	Retainer Ring	316 Stainless Steel	45260	45260	45260
11*	AR	Saddle	Engineering Thermoplastic	45058	45058	45058
12*	AR	Strap Assembly	304 Stainless Steel Cushion	47459	47459	47459

^{*} Not shown in the exploded view

PENTAIR WATER INDIA PVT. LTD. L / 52 - 55, VERNA INDUSTRIAL ESTATE, VERNA, GOA, INDIA - 403 722 WWW.CODELINE.COM

Note: The information and data contained in this document are based on our general experience and are believed to be correct. They are given in good faith and are intended to provide a quideline for the selection and use of our products. Since the conditions under which our products may be used are beyond our control, this information does not imply any guarantee of final product performance and we cannot accept any liability with respect to the use of our products. The quality of our products is guaranteed under our conditions of sale. Existing industrial property rights must be observed.